

DA EARN

DA EARN BASE COAT 686

PRODUCT INFORMATION

Recommended for Internal Application

DESCRIPTION

DA EARN BASE COAT 686 is a high-quality water-resistant cement-based skim plaster designed as a base coat for internal concrete ceilings and wall surfaces.

USES

Suitable for internal application on concrete ceilings and all wall surfaces.

Main Use: Base leveling, filling holes and cracks, and improving wall evenness to prepare the surface for subsequent finishing work.

ADVANTAGES

- Premixed for consistent quality
- Easy mixing by just adding water
- Good workability for smooth application
- Excellent bond strength
- User-friendly application
- Suitable for internal wall and ceiling surfaces

MIXING


Add approximately 7 to 8 litres of clean water to 1 bag (40kg). Mix with a mechanical mixer for 3 to 5 minutes until a homogeneous paste is achieved.

APPLICATION

Apply the paste mixture with a steel trowel or spray machine. Recommended thickness is 2mm to 4mm per layer. Open time is 30 minutes and workability time is 50 minutes.

HANDLING / STORAGE

Packed in 40kg bags. Store in a dry shaded place free from moisture. Shelf life is 1 year in original packing. The material is non-hazardous. In case of eye contact, wash with plenty of water.



Pre-Pack



User Friendly



Excellent Bond
Strength



Long Open Time

TECHNICAL DATA

Appearance	Grey
Pack Size	40kg
Water Powder Ratio	7–8 litres
Mechanical Mixer	3–5 min
Open Time	30 min
Workability Time	50 min
Pot Life	Approximately 30 min
Self Life	1YEAR
Curing Time	Initial set 240–360 min; Final set not more than 500 min; Full compressive strength 28 days
Recommended Thickness	2–4 mm per layer
Coverage	Approx. 1.1 kg/m ² per 1 mm thickness



The information provided is based on our current knowledge and experience. It is offered in good faith as typical values and should not be considered a warranty. Since site conditions and workmanship are beyond our control, we cannot accept liability for any loss or damage arising from the use of this product.